

3. In a displacement of the spectral lines toward the red end of the spectrum in the case of light transmitted to us from stars of considerable magnitude (unconfirmed so far).*

The chief attraction of the theory lies in its logical completeness. If a single one of the conclusions drawn from it proves wrong, it must be given up; to modify it without destroying the whole structure seems to be impossible.

Let no one suppose, however, that the mighty work of Newton can really be superseded by this or any other theory. His great and lucid ideas will retain their unique significance for all time as the foundation of our whole modern conceptual structure in the sphere of natural philosophy.

Note: Some of the statements in your paper concerning my life and person owe their origin to the lively imagination of the writer. Here is yet another application of the principle of relativity for the delectation of the reader: today I am described in Germany as a "German savant," and in England as a "Swiss Jew." Should it ever be my fate to be represented as a *bête noire*, I should, on the contrary, become a "Swiss Jew" for the Germans and a "German savant" for the English.

GEOMETRY AND EXPERIENCE

Lecture before the Prussian Academy of Sciences, January 27, 1921. The last part appeared first in a reprint by Springer, Berlin, 1921.

One reason why mathematics enjoys special esteem, above all other sciences, is that its propositions are absolutely certain and indisputable, while those of all other sciences are to some extent debatable and in constant danger of being overthrown by newly discovered facts. In spite of this, the investigator in

* This criterion has since been confirmed.

another department of science would not need to envy the mathematician if the propositions of mathematics referred to objects of our mere imagination, and not to objects of reality. For it cannot occasion surprise that different persons should arrive at the same logical conclusions when they have already agreed upon the fundamental propositions (axioms), as well as the methods by which other propositions are to be deduced therefrom. But there is another reason for the high repute of mathematics, in that it is mathematics which affords the exact natural sciences a certain measure of certainty, to which without mathematics they could not attain.

At this point an enigma presents itself which in all ages has agitated inquiring minds. How can it be that mathematics, being after all a product of human thought which is independent of experience, is so admirably appropriate to the objects of reality? Is human reason, then, without experience, merely by taking thought, able to fathom the properties of real things?

In my opinion the answer to this question is, briefly, this: as far as the propositions of mathematics refer to reality, they are not certain; and as far as they are certain, they do not refer to reality. It seems to me that complete clarity as to this state of things became common property only through that trend in mathematics which is known by the name of "axiomatics." The progress achieved by axiomatics consists in its having neatly separated the logical-formal from its objective or intuitive content; according to axiomatics the logical-formal alone forms the subject matter of mathematics, which is not concerned with the intuitive or other content associated with the logical-formal.

Let us for a moment consider from this point of view any axiom of geometry, for instance, the following: through two points in space there always passes one and only one straight line. How is this axiom to be interpreted in the older sense and in the more modern sense?

The older interpretation: everyone knows what a straight line is, and what a point is. Whether this knowledge springs from an ability of the human mind or from experience, from some cooperation of the two or from some other source, is not for the

mathematician to decide. He leaves the question to the philosopher. Being based upon this knowledge, which precedes all mathematics, the axiom stated above is, like all other axioms, self-evident, that is, it is the expression of a part of this *a priori* knowledge.

The more modern interpretation: geometry treats of objects which are denoted by the words straight line, point, etc. No knowledge or intuition of these objects is assumed but only the validity of the axioms, such as the one stated above, which are to be taken in a purely formal sense, i.e., as void of all content of intuition or experience. These axioms are free creations of the human mind. All other propositions of geometry are logical inferences from the axioms (which are to be taken in the nominalistic sense only). The axioms *define* the objects of which geometry treats. Schlick in his book on epistemology has therefore characterized axioms very aptly as "implicit definitions."

This view of axioms, advocated by modern axiomatics, purges mathematics of all extraneous elements, and thus dispels the mystic obscurity which formerly surrounded the basis of mathematics. But such an expurgated exposition of mathematics makes it also evident that mathematics as such cannot predicate anything about objects of our intuition or real objects. In axiomatic geometry the words "point," "straight line," etc., stand only for empty conceptual schemata. That which gives them content is not relevant to mathematics.

Yet on the other hand it is certain that mathematics generally, and particularly geometry, owes its existence to the need which was felt of learning something about the behavior of real objects. The very word geometry, which, of course, means earth-measuring, proves this. For earth-measuring has to do with the possibilities of the disposition of certain natural objects with respect to one another, namely, with parts of the earth, measuring-lines, measuring-wands, etc. It is clear that the system of concepts of axiomatic geometry alone cannot make any assertions as to the behavior of real objects of this kind, which we will call practically-rigid bodies. To be able to make such assertions, geometry must be stripped of its merely logical-formal

character by the coordination of real objects of experience with the empty conceptual schemata of axiomatic geometry. To accomplish this, we need only add the proposition: solid bodies are related, with respect to their possible dispositions, as are bodies in Euclidean geometry of three dimensions. Then the propositions of Euclid contain affirmations as to the behavior of practically-rigid bodies.

Geometry thus completed is evidently a natural science; we may in fact regard it as the most ancient branch of physics. Its affirmations rest essentially on induction from experience, but not on logical inferences only. We will call this completed geometry "practical geometry," and shall distinguish it in what follows from "purely axiomatic geometry." The question whether the practical geometry of the universe is Euclidean or not has a clear meaning, and its answer can only be furnished by experience. All length-measurements in physics constitute practical geometry in this sense, so, too, do geodetic and astronomical length measurements, if one utilizes the empirical law that light is propagated in a straight line, and indeed in a straight line in the sense of practical geometry.

I attach special importance to the view of geometry which I have just set forth, because without it I should have been unable to formulate the theory of relativity. Without it the following reflection would have been impossible: in a system of reference rotating relatively to an inertial system, the laws of disposition of rigid bodies do not correspond to the rules of Euclidean geometry on account of the Lorentz contraction; thus if we admit non-inertial systems on an equal footing, we must abandon Euclidean geometry. Without the above interpretation the decisive step in the transition to generally covariant equations would certainly not have been taken. If we reject the relation between the body of axiomatic Euclidean geometry and the practically-rigid body of reality, we readily arrive at the following view, which was entertained by that acute and profound thinker, H. Poincaré: Euclidean geometry is distinguished above all other conceivable axiomatic geometries by its simplicity. Now since axiomatic geometry by itself contains no

assertions as to the reality which can be experienced, but can do so only in combination with physical laws, it should be possible and reasonable—whatever may be the nature of reality—to retain Euclidean geometry. For if contradictions between theory and experience manifest themselves, we should rather decide to change physical laws than to change axiomatic Euclidean geometry. If we reject the relation between the practically-rigid body and geometry, we shall indeed not easily free ourselves from the convention that Euclidean geometry is to be retained as the simplest.

Why is the equivalence of the practically-rigid body and the body of geometry—which suggests itself so readily—rejected by Poincaré and other investigators? Simply because under closer inspection the real solid bodies in nature are not rigid, because their geometrical behavior, that is, their possibilities of relative disposition, depend upon temperature, external forces, etc. Thus the original, immediate relation between geometry and physical reality appears destroyed, and we feel impelled toward the following more general view, which characterizes Poincaré's standpoint. Geometry (G) predicates nothing about the behavior of real things, but only geometry together with the totality (P) of physical laws can do so. Using symbols, we may say that only the sum of (G) + (P) is subject to experimental verification. Thus (G) may be chosen arbitrarily, and also parts of (P); all these laws are conventions. All that is necessary to avoid contradictions is to choose the remainder of (P) so that (G) and the whole of (P) are together in accord with experience. Envisaged in this way, axiomatic geometry and the part of natural law which has been given a conventional status appear as epistemologically equivalent.

Sub specie aeterni Poincaré, in my opinion, is right. The idea of the measuring-rod and the idea of the clock coordinated with it in the theory of relativity do not find their exact correspondence in the real world. It is also clear that the solid body and the clock do not in the conceptual edifice of physics play the part of irreducible elements, but that of composite structures, which must not play any independent part in theoretical

physics. But it is my conviction that in the present stage of development of theoretical physics these concepts must still be employed as independent concepts; for we are still far from possessing such certain knowledge of the theoretical principles of atomic structure as to be able to construct solid bodies and clocks theoretically from elementary concepts.

Further, as to the objection that there are no really rigid bodies in nature, and that therefore the properties predicated of rigid bodies do not apply to physical reality—this objection is by no means so radical as might appear from a hasty examination. For it is not a difficult task to determine the physical state of a measuring-body so accurately that its behavior relative to other measuring-bodies shall be sufficiently free from ambiguity to allow it to be substituted for the "rigid" body. It is to measuring-bodies of this kind that statements about rigid bodies must be referred.

All practical geometry is based upon a principle which is accessible to experience, and which we will now try to realize. Suppose two marks have been put upon a practically-rigid body. A pair of two such marks we shall call a tract. We imagine two practically-rigid bodies, each with a tract marked out on it. These two tracts are said to be "equal to one another" if the marks of the one tract can be brought to coincide permanently with the marks of the other. We now assume that:

If two tracts are found to be equal once and anywhere, they are equal always and everywhere.

Not only the practical geometry of Euclid, but also its nearest generalization, the practical geometry of Riemann, and therewith the general theory of relativity, rest upon this assumption. Of the experimental reasons which warrant this assumption I will mention only one. The phenomenon of the propagation of light in empty space assigns a tract, namely, the appropriate path of light, to each interval of local time, and conversely. Thence it follows that the above assumption for tracts must also hold good for intervals of clock-time in the theory of relativity. Consequently it may be formulated as follows: if two ideal clocks are going at the same rate at any time and at any place (being

then in immediate proximity to each other), they will always go at the same rate, no matter where and when they are again compared with each other at one place. If this law were not valid for natural clocks, the proper frequencies for the separate atoms of the same chemical element would not be in such exact agreement as experience demonstrates. The existence of sharp spectral lines is a convincing experimental proof of the above-mentioned principle of practical geometry. This, in the last analysis, is the reason which enables us to speak meaningfully of a Riemannian metric of the four-dimensional space-time continuum.

According to the view advocated here, the question whether this continuum has a Euclidean, Riemannian, or any other structure is a question of physics proper which must be answered by experience, and not a question of a convention to be chosen on grounds of mere expediency. Riemann's geometry will hold if the laws of disposition of practically-rigid bodies approach those of Euclidean geometry the more closely the smaller the dimensions of the region of space-time under consideration.

It is true that this proposed physical interpretation of geometry breaks down when applied immediately to spaces of sub-molecular order of magnitude. But nevertheless, even in questions as to the constitution of elementary particles, it retains part of its significance. For even when it is a question of describing the electrical elementary particles constituting matter, the attempt may still be made to ascribe physical meaning to those field concepts which have been physically defined for the purpose of describing the geometrical behavior of bodies which are large as compared with the molecule. Success alone can decide as to the justification of such an attempt, which postulates physical reality for the fundamental principles of Riemann's geometry outside of the domain of their physical definitions. It might possibly turn out that this extrapolation has no better warrant than the extrapolation of the concept of temperature to parts of a body of molecular order of magnitude.

It appears less problematical to extend the concepts of practical geometry to spaces of cosmic order of magnitude. It might,

of course, be objected that a construction composed of solid rods departs the more from ideal rigidity the greater its spatial extent. But it will hardly be possible, I think, to assign fundamental significance to this objection. Therefore the question whether the universe is spatially finite or not seems to me an entirely meaningful question in the sense of practical geometry. I do not even consider it impossible that this question will be answered before long by astronomy. Let us call to mind what the general theory of relativity teaches in this respect. It offers two possibilities:

1. The universe is spatially infinite. This is possible only if in the universe the average spatial density of matter, concentrated in the stars, vanishes, i.e., if the ratio of the total mass of the stars to the volume of the space through which they are scattered indefinitely approaches zero as greater and greater volumes are considered.

2. The universe is spatially finite. This must be so, if there exists an average density of the ponderable matter in the universe which is different from zero. The smaller that average density, the greater is the volume of the universe.

I must not fail to mention that a theoretical argument can be adduced in favor of the hypothesis of a finite universe. The general theory of relativity teaches that the inertia of a given body is greater as there are more ponderable masses in proximity to it; thus it seems very natural to reduce the total inertia of a body to interaction between it and the other bodies in the universe, as indeed, ever since Newton's time, gravity has been completely reduced to interaction between bodies. From the equations of the general theory of relativity it can be deduced that this total reduction of inertia to interaction between masses—as demanded by E. Mach, for example—is possible only if the universe is spatially finite.

Many physicists and astronomers are not impressed by this argument. In the last analysis, experience alone can decide which of the two possibilities is realized in nature. How can experience furnish an answer? At first it might seem possible to determine the average density of matter by observation of

that part of the universe which is accessible to our observation. This hope is illusory. The distribution of the visible stars is extremely irregular, so that we on no account may venture to set the average density of star-matter in the universe equal to, let us say, the average density in the Galaxy. In any case, however great the space examined may be, we could not feel convinced that there were any more stars beyond that space. So it seems impossible to estimate the average density.

But there is another road, which seems to me more practicable, although it also presents great difficulties. For if we inquire into the deviations of the consequences of the general theory of relativity which are accessible to experience, from the consequences of the Newtonian theory, we first of all find a deviation which manifests itself in close proximity to gravitating mass, and has been confirmed in the case of the planet Mercury. But if the universe is spatially finite, there is a second deviation from the Newtonian theory, which, in the language of the Newtonian theory, may be expressed thus: the gravitational field is such as if it were produced, not only by the ponderable masses, but in addition by a mass-density of negative sign, distributed uniformly throughout space. Since this fictitious mass-density would have to be extremely small, it would be noticeable only in very extensive gravitating systems.

Assuming that we know, let us say, the statistical distribution and the masses of the stars in the Galaxy, then by Newton's law we can calculate the gravitational field and the average velocities which the stars must have, so that the Galaxy should not collapse under the mutual attraction of its stars, but should maintain its actual extent. Now if the actual velocities of the stars—which can be measured—were smaller than the calculated velocities, we should have a proof that the actual attractions at great distances are smaller than by Newton's law. From such a deviation it could be proved indirectly that the universe is finite. It would even be possible to estimate its spatial dimensions.

Can we visualize a three-dimensional universe which is finite, yet unbounded?

The usual answer to this question is "No," but that is not the right answer. The purpose of the following remarks is to show that the answer should be "Yes." I want to show that without any extraordinary difficulty we can illustrate the theory of a finite universe by means of a mental picture to which, with some practice, we shall soon grow accustomed.

First of all, an observation of epistemological nature. A geometrical-physical theory as such is incapable of being directly pictured, being merely a system of concepts. But these concepts serve the purpose of bringing a multiplicity of real or imaginary sensory experiences into connection in the mind. To "visualize" a theory therefore means to bring to mind that abundance of sensible experiences for which the theory supplies the schematic arrangement. In the present case we have to ask ourselves how we can represent that behavior of solid bodies with respect to their mutual disposition (contact) which corresponds to the theory of a finite universe. There is really nothing new in what I have to say about this; but innumerable questions addressed to me prove that the curiosity of those who are interested in these matters has not yet been completely satisfied. So, will the initiated please pardon me, in that part of what I shall say has long been known?

What do we wish to express when we say that our space is infinite? Nothing more than that we might lay any number of bodies of equal sizes side by side without ever filling space. Suppose that we are provided with a great many cubic boxes all of the same size. In accordance with Euclidean geometry we can place them above, beside, and behind one another so as to fill an arbitrarily large part of space; but this construction would never be finished; we could go on adding more and more cubes without ever finding that there was no more room. That is what we wish to express when we say that space is infinite. It would be better to say that space is infinite in relation to practically-rigid bodies, assuming that the laws of disposition for these bodies are given by Euclidean geometry.

Another example of an infinite continuum is the plane. On a plane surface we may lay squares of cardboard so that each

side of any square has the side of another square adjacent to it. The construction is never finished; we can always go on laying squares—if their laws of disposition correspond to those of plane figures of Euclidean geometry. The plane is therefore infinite in relation to the cardboard squares. Accordingly we say that the plane is an infinite continuum of two dimensions, and space an infinite continuum of three dimensions. What is here meant by the number of dimensions, I think I may assume to be known.

Now we take an example of a two-dimensional continuum which is finite, but unbounded. We imagine the surface of a large globe and a quantity of small paper discs, all of the same size. We place one of the discs anywhere on the surface of the globe. If we move the disc about, anywhere we like, on the surface of the globe, we do not come upon a boundary anywhere on the journey. Therefore we say that the spherical surface of the globe is an unbounded continuum. Moreover, the spherical surface is a finite continuum. For if we stick the paper discs on the globe, so that no disc overlaps another, the surface of the globe will finally become so full that there is no room for another disc. This means exactly that the spherical surface of the globe is finite in relation to the paper discs. Further, the spherical surface is a non-Euclidean continuum of two dimensions, that is to say, the laws of disposition for the rigid figures lying in it do not agree with those of the Euclidean plane. This can be shown in the following way. Take a disc and surround it in a circle by six more discs, each of which is to be surrounded in turn by six discs, and so on. If this construction is made on a plane surface, we obtain an uninterrupted arrangement in which there are six discs touching every disc except those which lie on the outside. On the spherical surface the construction also




FIG. 1

seems to promise success at the outset, and the smaller the radius of the disc in proportion to that of the sphere, the more promising it seems. But as the construction progresses it becomes more and more patent that the arrangement of the discs in the manner indicated, without interruption, is not possible, as it should be possible by the Euclidean geometry of the plane. In this way creatures which cannot leave the spherical surface, and cannot even peep out from the spherical surface into three-dimensional space, might discover, merely by experimenting with discs, that their two-dimensional "space" is not Euclidean, but spherical space.

From the latest results of the theory of relativity it is probable that our three-dimensional space is also approximately spherical, that is, that the laws of disposition of rigid bodies in it are not given by Euclidean geometry, but approximately by spherical geometry, if only we consider parts of space which are sufficiently extended. Now this is the place where the reader's imagination boggles. "Nobody can imagine this thing," he cries indignantly. "It can be said, but cannot be thought. I can imagine a spherical surface well enough, but nothing analogous to it in three dimensions."

We must try to surmount this barrier in the mind, and the patient reader will see that it is by no means a particularly difficult task. For this purpose we will first give our attention once more to the geometry of two-dimensional spherical surfaces. In the adjoining figure let K be the spherical surface, touched at S by a plane, E , which, for facility of presentation, is shown in the drawing as a bounded surface. Let L be a disc on the spherical surface. Now let us imagine that at the point N of the




FIG. 2

spherical surface, diametrically opposite to S , there is a luminous point, throwing a shadow L' of the disc L upon the plane E . Every point on the sphere has its shadow on the plane. If the disc on the sphere K is moved, its shadow L' on the plane E also moves. When the disc L is at S , it almost exactly coincides with its shadow. If it moves on the spherical surface away from S upwards, the disc shadow L' on the plane also moves away from S on the plane outwards, growing bigger and bigger. As the disc L approaches the luminous point N , the shadow moves off to infinity, and becomes infinitely great.

Now we put the question: what are the laws of disposition of the disc-shadows L' on the plane E ? Evidently they are exactly the same as the laws of disposition of the discs L on the spherical surface. For to each original figure on K there is a corresponding shadow figure on E . If two discs on K are touching, their shadows on E also touch. The shadow-geometry on the plane agrees with the disc-geometry on the sphere. If we call the disc-shadows rigid figures, then spherical geometry holds good on the plane E with respect to these rigid figures. In particular, the plane is finite with respect to the disc-shadows, since only a finite number of the shadows can find room on the plane.

At this point somebody will say, "That is nonsense. The disc-shadows are *not* rigid figures. We have only to move a two-foot rule about on the plane E to convince ourselves that the shadows constantly increase in size as they move away from S on the plane toward infinity." But what if the two-foot rule were to behave on the plane E in the same way as the disc-shadows L' ? It would then be impossible to show that the shadows increase in size as they move away from S ; such an assertion would then no longer have any meaning whatever. In fact the only objective assertion that can be made about the disc-shadows is just this, that they are related in exactly the same way as are the rigid discs on the spherical surface in the sense of Euclidean geometry.

We must carefully bear in mind that our statement as to the growth of the disc-shadows, as they move away from S toward infinity, has in itself no objective meaning, as long as we are

unable to compare the disc-shadows with Euclidean rigid bodies which can be moved about on the plane E . In respect of the laws of disposition of the shadows L' , the point S has no special privileges on the plane any more than on the spherical surface.

The representation given above of spherical geometry on the plane is important for us, because it readily allows itself to be transferred to the three-dimensional case.

Let us imagine a point S of our space, and a great number of small spheres, L' , which can all be brought to coincide with one another. But these spheres are not to be rigid in the sense of Euclidean geometry; their radius is to increase (in the sense of Euclidean geometry) when they are moved away from S toward infinity; it is to increase according to the same law as the radii of the disc-shadows L' on the plane.

After having gained a vivid mental image of the geometrical behavior of our L' spheres, let us assume that in our space there are no rigid bodies at all in the sense of Euclidean geometry, but only bodies having the behavior of our L' spheres. Then we shall have a clear picture of three-dimensional spherical space, or, rather of three-dimensional spherical geometry. Here our spheres must be called "rigid" spheres. Their increase in size as they depart from S is not to be detected by measuring with measuring-rods, any more than in the case of the disc-shadows on E , because the standards of measurement behave in the same way as the spheres. Space is homogeneous, that is to say, the same spherical configurations are possible in the neighborhood of every point.* Our space is finite, because, in consequence of the "growth" of the spheres, only a finite number of them can find room in space.

In this way, by using as a crutch the practice in thinking and visualization which Euclidean geometry gives us, we have acquired a mental picture of spherical geometry. We may without difficulty impart more depth and vigor to these ideas by carrying out special imaginary constructions. Nor would it be difficult to represent the case of what is called elliptical geometry in

* This is intelligible without calculation—but only for the two-dimensional case—if we revert once more to the case of the disc on the surface of the sphere.

an analogous manner. My only aim today has been to show that the human faculty of visualization is by no means bound to capitulate to non-Euclidean geometry.

ON THE THEORY OF RELATIVITY

Lecture at King's College, London, 1921. Published in Mein Weltbild, Amsterdam: Querido Verlag, 1934.

It is a particular pleasure to me to have the privilege of speaking in the capital of the country from which the most important fundamental notions of theoretical physics have issued. I am thinking of the theory of mass motion and gravitation which Newton gave us and the concept of the electromagnetic field, by means of which Faraday and Maxwell put physics on a new basis. The theory of relativity may indeed be said to have put a sort of finishing touch to the mighty intellectual edifice of Maxwell and Lorentz, inasmuch as it seeks to extend field physics to all phenomena, gravitation included.

Turning to the theory of relativity itself, I am anxious to draw attention to the fact that this theory is not speculative in origin; it owes its invention entirely to the desire to make physical theory fit observed fact as well as possible. We have here no revolutionary act but the natural continuation of a line that can be traced through centuries. The abandonment of certain notions connected with space, time, and motion hitherto treated as fundamentals must not be regarded as arbitrary, but only as conditioned by observed facts.

The law of the constant velocity of light in empty space, which has been confirmed by the development of electrodynamics and optics, and the equal legitimacy of all inertial systems (special principle of relativity), which was proved in a particularly incisive manner by Michelson's famous experiment, between them made it necessary, to begin with, that the concept of time should be made relative, each inertial system being given its own special time. As this notion was developed, it