# Hicksian Demand and Expenditure Function Duality, Slutsky Equation

Econ 2100

Fall 2018

Lecture 6, September 17

Outline

- Applications of Envelope Theorem
- e Hicksian Demand
- Ouality
- Sonnections between Walrasian and Hicksian demand functions.
- Slutsky Decomposition: Income and Substitution Effects

# **Envelope Theorem With Constraints**

• The maximization problem is:

$$x^*(\mathbf{q}) = rg\max_{F(\mathbf{x};\mathbf{q})=\mathbf{0}_k} \phi(\mathbf{x};\mathbf{q})$$

• Using the Chain Rule, the change of  $\phi^*(\mathbf{q}) = \phi(x^*(\mathbf{q}); \mathbf{q})$  is:  $D_{\mathbf{q}}\phi(x^*(\overline{\mathbf{q}}); \overline{\mathbf{q}}) = D_{\mathbf{q}}\phi(\mathbf{x}, \mathbf{q})|_{\mathbf{q}=\mathbf{q}, \mathbf{x}=x^*(\overline{\mathbf{q}})} + D_{\mathbf{x}}\phi(\mathbf{x}, \mathbf{q})|_{\mathbf{q}=\overline{\mathbf{q}}, \mathbf{x}=x^*(\overline{\mathbf{q}})} D_{\mathbf{q}}x^*(\mathbf{q})$ 

- Because the constraints hold,  $-F(\mathbf{x}; \mathbf{q}) = \mathbf{0}_k$  and thus  $-D_\mathbf{x}F(\mathbf{x}; \mathbf{q})D_\mathbf{q}\mathbf{x}^*(\mathbf{q}) = D_qF(\mathbf{x}; \mathbf{q})$
- From FOC we get

$$D_{\mathbf{x}}\phi(\mathbf{x};\mathbf{q}) = \boldsymbol{\lambda}^{\top} D_{\mathbf{x}} F(\mathbf{x};\mathbf{q})$$

• Thus,

$$\left. D_{\mathbf{x}}\phi(\mathbf{x},\mathbf{q}) \right|_{\mathbf{q}=\overline{\mathbf{q}}, \ \mathbf{x}=x^{*}(\overline{\mathbf{q}})} \ D_{\mathbf{q}}x^{*}(\mathbf{q}) = \boldsymbol{\lambda}^{\top} D_{\mathbf{x}}F(\mathbf{x};\mathbf{q}) D_{\mathbf{q}}x^{*}(\mathbf{q}) = -\boldsymbol{\lambda}^{\top} D_{q}F(\mathbf{x};\mathbf{q})$$

#### **Envelope Theorem With Constraints**

Then, the change in the objective function due to a change in  $\mathbf{q}$  is:

 $D_{\mathbf{q}}\phi(\mathbf{x}^{*}(\overline{\mathbf{q}});\overline{\mathbf{q}}) = \left. D_{\mathbf{q}}\phi(\mathbf{x},\mathbf{q}) \right|_{\mathbf{q}=\overline{\mathbf{q}},\mathbf{x}=x^{*}(q)} - \left(\lambda^{*}(\overline{\mathbf{q}})\right)^{\top} \left. D_{\mathbf{q}}F(\mathbf{x},\mathbf{q}) \right|_{\mathbf{q}=\overline{\mathbf{q}},\mathbf{x}=x^{*}(\overline{q})}$ 

# **Envelope Theorem (With Constraints)**

#### Summary

The Envelope Theorem is:

$$\left. D_{\mathbf{q}}\phi(x^{*}(\overline{\mathbf{q}});\overline{\mathbf{q}}) = \left. D_{q}\phi(\mathbf{x},\mathbf{q}) \right|_{\mathbf{q}=\overline{\mathbf{q}},\ x=x^{*}(\overline{\mathbf{q}})} - \left(\lambda^{*}(\overline{\mathbf{q}})\right)^{\top} \left. D_{\mathbf{q}}F(\mathbf{x},\mathbf{q}) \right|_{q=\overline{\mathbf{q}},\ x=x(\overline{\mathbf{q}})}$$

- The direct effect of the parameter q is on both the value of φ evaluated at the maximizer x\*(q
   ) but also on the constraints.
- In the consumer's problem, the entire differential effect of price and wage changes on indirect utility occurs via the budget constraint.
  - $\phi$  is the utility function u, and  $\phi(x^*(\cdot); \cdot)$  is  $u(x^*(\cdot))$  (the indirect utility function v(p, w))
  - F is the budget constraint  $p \cdot x w$ ;
  - one can then figure out how the equality above would work if (some) prices and income change.

### Exercise

Compute the price effects,  $\frac{\partial x^*(p,w)}{\partial p_k}$  with k = 1, 2 for the Cobb–Douglas utility function on  $\mathbf{R}^2_+$ .

# Application: Roy's Identity

Walrasian demand is  $x^*(q) = \arg \max u(x)$  subject to  $p \cdot x - w = 0$ 

• Use the previous results with

 $\phi(x,q) = u(x), \ \phi(x^*(\bar{q});\bar{q}) = u(x^*(p,w)) = v(p,w), \ \text{and} \ F(x,q) = p \cdot x - w.$ 

- the effect of prices and wage on utility is only via the budget constraint.
- The Envelope theorem says:

$$D_{q}\phi(x^{*}(\bar{q});\bar{q}) = D_{q}\phi(x,q)|_{x=x^{*}(q),q=\bar{q}} - [\lambda^{*}(\bar{q})]^{\top} D_{q}F(x,q)|_{x=x^{*}(\bar{q}),q=\bar{q}}$$

• Thus  

$$\frac{\partial v}{\partial p_{i}} = \frac{\partial u}{\partial p_{i}}\Big|_{x=x^{*}(p,w)} - \lambda \frac{\partial(p \cdot x - w)}{\partial p_{i}}\Big|_{\substack{\lambda=\lambda^{*}(p,w)\\x=x^{*}(p,w)}} = 0 - \lambda x_{i}\Big|_{\substack{\lambda=\lambda^{*}(p,w)\\x=x^{*}(p,w)}} = -\lambda^{*}(p,w)x_{i}^{*}(p,w)$$

$$\frac{\partial v}{\partial w} = \frac{\partial u}{\partial w}\Big|_{x=x^{*}(p,w)} - \lambda \frac{\partial(p \cdot x - w)}{\partial w}\Big|_{\substack{\lambda=\lambda^{*}(p,w)\\x=x^{*}(p,w)}} = 0 + \lambda\Big|_{\substack{\lambda=\lambda^{*}(p,w)\\x=x^{*}(p,w)}} = \lambda^{*}(p,w)$$

the Lagrange multiplier equals the marginal utility of a change in income.

• Divide one of the two expressions above by the other and obtain  $x_i^*(p, w) = \frac{-\frac{\partial v}{\partial p_i}}{\frac{\partial v}{\partial w}}.$ 

• This is expression gives Roy's Identity:  $\frac{\partial v}{\partial p_i} = -x_i^*(p, w) \frac{\partial v}{\partial w}$ .

# **Hicksian Demand**

## Definition

Given a utility function  $u : \mathbb{R}^n_+ \to \mathbb{R}$ , the Hicksian demand correspondence  $h^* : \mathbb{R}^n_{++} \times u(\mathbb{R}^n_+) \to \mathbb{R}^n_+$  is defined by  $h^*(p, v) = \arg\min_{x \in \mathbb{R}^n_+} p \cdot x$  subject to  $u(x) \ge v$ .

- Hicksian demand finds the cheapest consumption bundle that achieves a given utility level.
- Hicksian demand is also called compensated since along it one can measure the impact of price changes for fixed utility.
  - Walrasian demand  $x^*(p, w)$  is also called uncompensated since along it price changes can make the consumer better-off or worse-off.
- Draw a picture.
- The constraint is in "utils" while the objective function is in money.
  - For Walrasian (uncompensated) demand, the constraint is in money while the objective is in "utils".
- This is the dual of the utility maximization problem:
  - the solutions to the two problems are connected when prices are the same.

# **Properties of Hicksian Demand**

### Proposition

If u is continuous, then  $h^*(p, v)$  is nonempty and compact.

### Proof.

By continuity,  $\{x \in \mathbf{R}^n_+ : u(x) \ge v\}$ , the upper contour set of x, is closed.

For a sufficiently large *M*, the closed set {x ∈ R<sup>n</sup><sub>+</sub> : p ⋅ x ≤ M} and the upper contour set of x are not disjoint.

• Then

$$h^*(p, v) = \arg\min_{x \in \mathbb{R}^n_+} p \cdot x \text{ subject to } egin{array}{c} u(x) \geq v \\ and \\ p \cdot x \leq M \end{array}$$

- The modified constraint set is closed and bounded.
- ... from here on, the proof follows the proof that Walrasian demand is nonempty and compact... (fill in the details as exercise).

# Hicksian Demand Is Downward Sloping

**Law of Demand:** AS THE PRICE OF A GOOD INCREASES THE COMPENSATED QUANTITY DEMANDED OF THAT GOOD CANNOT INCREASE.

• Take two price vectors p and q, and define

$$x = h^*(p, v)$$
 and  $y = h^*(q, v)$ 

• The following is a 'revealed preference' argument:

y could have been chosen at prices p but was not,  $p \cdot x$  $\Rightarrow$ hence y cannot be cheaper than x at prices p.  $p \cdot (x - y) < 0$ x could have been chosen at prices q but was not,  $q \cdot x \ge q \cdot y$  $\Rightarrow$ hence x cannot be cheaper than y at prices q  $q \cdot (x-y) \geq 0$  or  $-q \cdot (x-y) \leq 0$  $(p-q)\cdot(x-y)\leq 0$ Adding 2. and 4. we get Choose p and q so that  $p_i \neq q_i$  and  $p_i = q_i$  for all  $j \neq i$ :  $(p_i - q_i)(x_i - y_i) < 0$ 

• A similar result does not hold for Walrasian demand.

# **The Expenditure Function**

### Definition

Given a continuous utility function  $u : \mathbf{R}_{+}^{n} \to \mathbf{R}$ , the expenditure function  $e : \mathbf{R}_{++}^{n} \times u(\mathbf{R}_{+}^{n}) \to \mathbf{R}_{+}$  is defined by  $e(\mathbf{p}, v) = \mathbf{p} \cdot \mathbf{x}$ for some  $\mathbf{x} \in h^{*}(\mathbf{p}, v)$ .

• This is the function that tracks the minimized value of the amount spent by the consumer as prices and utility change.

### Proposition

If the utility function is continuous and locally nonsatiated, then the expenditure functions is homogeneous of degree 1 and concave in  $\mathbf{p}$ .

# Proof.

Question 5, Problem Set 4.

# Walrasian and Hicksian Demand Are Equal

### Proposition

Suppose u is continuous and locally nonsatiated. If  $v > u(\mathbf{0}_n)$ , then:

$$x^*(\mathbf{p}, w) = h^*(\mathbf{p}, v(\mathbf{p}, w));$$
  
 $h^*(\mathbf{p}, v) = x^*(\mathbf{p}, e(\mathbf{p}, v)).$ 

- These are sets: the consumption bundles that maximize utility are the same as the consumption bundles that minimize expenditure, provided the constraints of the two problems "match up".
  - The income level for the constraint in the utility maximization problem must be  $w = \mathbf{p} \cdot \mathbf{x}^*$  where  $\mathbf{x}^* \in h^*(\mathbf{p}, v)$ .
  - The utility level for the constraint in the expenditure minimization problem must be v = u(x\*) where x\* ∈ x\*(p, v).
- Walrasian and Hicksian demand must coincide when computed according to the same prices, income, and utility.
- The proposition implies that

 $e(\mathbf{p}, v(\mathbf{p}, w)) = w$  and  $v(\mathbf{p}, e(\mathbf{p}, v)) = v$ 

so for a fixed price vector  $\hat{\mathbf{p}}$ ,  $e(\hat{\mathbf{p}}, \cdot)$  and  $v(\hat{\mathbf{p}}, \cdot)$  are inverses of each other.

# Walrasian and Hicksian Demand Are Equal

We want to show that  $x^* \in x^*(p, w)$  solves min  $p \cdot x$  subject to  $u(x) \ge u(x^*)$ We want to show that  $x^* \in h^*(p, v)$  solves max u(x) subject to  $p \cdot x \le p \cdot x^*$ 

### Proof.

- Pick x\* ∈ x\*(p, w), and suppose x\* ∉ h\* (p, u(x\*)): x\* is a utility maximizer but not expenditure minimizer.
  - Then  $\exists x' \text{ s.t.}$   $p \cdot x'$
  - By local nonsatiation,  $\exists x''$  (close to x') s.t.

 $p \cdot x^{"} < w$  and  $u(x^{"}) > u(x')$ 

- contradicting the fact that  $x^*$  is a utility maximizer. Therefore  $x^*$  must also be a expenditure minimizer.
- Since  $p \cdot x^* = w$  by full expenditure, we also have e(p, v(p, w)) = w.
- Pick x<sup>\*</sup> ∈ h<sup>\*</sup>(p, v), and suppose x<sup>\*</sup> ∉ x<sup>\*</sup>(p, p ⋅ x<sup>\*</sup>): x<sup>\*</sup> an expenditure minimizer but not a utility maximizer.
  - Then  $\exists x' \text{ s.t.}$   $u(x') > u(x^*)$  and  $p \cdot x' \le p \cdot x^*$
  - Consider the bundle  $\alpha x'$  with  $\alpha < 1$ . By continuity of u,

$$u(\alpha x') > u(x^*) \ge v \text{ for } \alpha < 1, \alpha \to 1.$$

• Therefore,  $p \cdot \alpha x'$  $contradicting the fact that <math>x^*$  is an expenditure minimizer. Therefore  $x^*$  must also be a utility maximizer.

• Because  $u(x^*) = v$  we have v(p, e(p, v)) = v.

# **Support Function**

### Definition

Given a closed set  $K \subseteq \mathbf{R}^n$ , the support function  $\mu_K : \mathbf{R}^n \to \mathbf{R} \cup \{-\infty\}$  is  $\mu_K(\mathbf{p}) = \inf_{\mathbf{x} \in K} \mathbf{p} \cdot \mathbf{x}.$ 

- It can equal −∞ since there might exists x ∈ K such that p ⋅ x becomes unboundedly negative for a closed set.
  - for example:  $K = \{x \in \mathbf{R}^2 : x_1 \in \mathbf{R}, x_2 \in [0, \infty)\}$ , and p = (-1, 0).
  - if K is convex (closed and bounded in  $R^n$ ), the support function is finite.
- When a set K is convex, one can 'recover' it using the support function:
  - given a p ∈ R<sup>n</sup>, {x ∈ R<sup>n</sup> : p ⋅ x ≥ μ<sub>K</sub>(p)} is an half space that contains K; furthermore, K is the intersection of all such half spaces (for all p).
    - If K is not convex, the intersection of all sets {x ∈ R<sup>n</sup> : p · x ≥ μ<sub>K</sub>(p)} is the smallest closed convex set containing K (this is called the convex hull).

### Theorem (Duality Theorem)

Let K be a nonempty closed set. There exists a unique  $\mathbf{x} \in K$  such that  $\mathbf{p} \cdot \mathbf{x} = \mu_K(\mathbf{p})$  if and only if  $\mu_K$  is differentiable at  $\mathbf{p}$ . If so,  $\nabla \mu_K(\mathbf{p}) = \mathbf{x}$ .

- The support function is 'linear' in **p**.
- e(p, v) is the support function of the set  $K = \{x \in \mathbf{R}^n_+ : u(x) \ge v\}$ .

# **Properties of the Expenditure Function**

### Proposition

If u(x) is continuous, locally nonsatiated, and strictly quasiconcave, then e(p, v) is differentiable in p.

#### Proof.

Immediate from the previous theorem (verify the assumptions hold).

### **Question 6 Problem Set 4**

Using the result above and the fact that  $h^*(p, v) = x^*(p, e(p, v))$ , provide sufficient conditions for differentiability with respect to p of the indirect utility function, and extend the sufficient conditions for continuity and differentiability in p of Walrasian demand to Hicksian demand.

# Shephard's Lemma

### Proposition (Shephard's Lemma)

Suppose  $u : \mathbf{R}_{+}^{n} \to \mathbf{R}$  is a continuous, locally nonsatiated, and strictly quasiconcave utility function. Then, for all  $p \in \mathbf{R}_{++}^{n}$  and  $v \in \mathbf{R}$ ,  $h^{*}(p, v) = \nabla_{p} e(p, v).$ 

• Hicksian demand is the derivative of the expenditure function.

#### There are different ways to prove Shephard's Lemma:

- Use the duality theorem.
- Use the envelope theorem:
  - let  $\phi(x,q) = p \cdot x$ ,  $\phi(x^*(q);q) = e(p,v)$ , and F(x,q) = u(x) v,
  - then:

$$D_{q}\phi(x^{*}(\bar{q});\bar{q}) = D_{q}\phi(x,q)|_{x=x^{*}(q),q=\bar{q}} - [\lambda^{*}(\bar{q})]^{\perp} D_{q}F(x,q)|_{x=x^{*}(\bar{q}),q=\bar{q}}$$

becomes

$$\nabla_{p}e(p,v)=h^{*}(p,v)-0$$

since F does not depend on p.

• Brute force (next slide).

# Shephard's Lemma: Proof

### Proof.

We want to show that  $h^*(p, v) = \nabla_p e(p, v)$ .

• Using the definition, and then the chain rule

$$\nabla_{p} e(p, v) = \nabla_{p} \left[ p \cdot h^{*} \left( p, u \right) \right] = h^{*} \left( p, u \right) + \left[ p \cdot D_{p} h^{*} \left( p, u \right) \right]^{\top}$$

• The first order conditions of the minimization problem say

$$p = \lambda \nabla_{p} u \left( h^{*} \left( p, u \right) \right)$$

Therefore

$$\nabla_{p} e(p, v) = h^{*}(p, u) + \lambda \left[ \nabla_{p} u \left( h^{*}(p, u) \right) \cdot D_{p} h^{*}(p, u) \right]^{\top}$$

• At an optimum, the constraint must bind and so

$$u\left(h^{*}\left(p,u\right)\right)=v$$

Thus

$$\nabla_{p}u(h^{*}(p,u))\cdot D_{p}h^{*}(p,u)=0$$

and therefore

$$h^*(p,v) = \nabla_p e(p,v).$$

as desired.

# **Roy's Identity**

#### **Proposition (Roy's identity)**

Suppose u is continuous, locally nonsatiated, and strictly quasiconcave and v is differentiable at  $(p, w) \neq 0$ . Then

$$x^*(p,w) = -rac{1}{rac{\partial v(p,w)}{\partial w}} 
abla_p v(p,w),$$

This can be also written as

$$x_k^*(p,w) = -rac{rac{\partial v(p,w)}{\partial p_k}}{rac{\partial v(p,w)}{\partial w}}, \qquad ext{for all } k$$

- Walrasian demand equals the derivative of the indirect utility function multiplied by a "correction term".
  - This correction normalizes by the marginal utility of wealth.

#### There are different ways to prove Roy's Identity

- Use the envelope theorem (earlier).
- Use the chain rule and the first order conditions.
- Brute force (next slide).

# **Roy's Identity**

### Proof.

We want to show that

$$x_k^*(p,w) = -rac{rac{\partial v(p,w)}{\partial p_k}}{rac{\partial v(p,w)}{\partial w}}$$

Fix some  $\bar{p}, \bar{w}$  and let  $\bar{u} = v(\bar{p}, \bar{w})$ .

• The following identity holds for all p

$$v(p, e(p, \bar{u})) = \bar{u}$$

• differentiating w.r.t  $p_k$  we get

$$\frac{\partial v}{\partial p_k} + \frac{\partial v}{\partial w} \frac{\partial e}{\partial p_k} = 0$$

and therefore

$$\frac{\partial v}{\partial p_k} + \frac{\partial v}{\partial w}h_k = 0$$

• Let  $\bar{x}_k = x_k (\bar{p}, \bar{w})$  and evaluate the previous equality at  $\bar{p}, \bar{w}$ :

$$\frac{\partial v}{\partial p_k} + \frac{\partial v}{\partial w} \bar{x}_k = 0$$

• Solve for  $\bar{x}_k$  to get the result.

# **Slutsky Matrix**

### Definition

The Slutsky matrix, denoted  $D_p h^*(p, v)$ , is the  $n \times n$  matrix of derivative of the Hicksian demand function with respect to price (its first *n* dimensions).

• Notice this says "function", so the Slutsky matrix is defined only when Hicksian demand is unique.

## Proposition

Suppose  $u : \mathbb{R}^n_+ \to \mathbb{R}$  is continuous, locally nonsatiated, strictly quasiconcave and  $h^*(\cdot)$  is continuously differentiable at (p, v). Then:

- The Slutsky matrix is the Hessian of the expenditure function: D<sub>p</sub>h<sup>\*</sup>(p, v) = D<sup>2</sup><sub>pp</sub>e(p, v);
- Intersection of the second second

$$D_p h^*(p, v)p = \mathbf{0}_n.$$

### Proof.

Question 8, Problem Set 4.

# **Slutsky Decomposition**

### Proposition

If u is continuous, locally nonsatiated, and strictly quasiconcave, and  $h^*$  is differentiable, then: for all (p, w)

$$D_p h^*(p, v(p, w)) = D_p x^*(p, w) + D_w x^*(p, w) x^*(p, w)^\top$$

or

$$\frac{\partial h_j^*(p, v(p, w))}{\partial p_k} = \frac{\partial x_j^*(p, w)}{\partial p_k} + \frac{\partial x_j^*(p, w)}{\partial w} x_k^*(p, w), \quad \text{for all } j, k$$

#### Proof.

Remember that

$$h^{*}(p, v) = x^{*}(p, e(p, v)).$$


• Take the equality for good j and differentiate with respect to  $p_k$ 

$$\frac{\partial h_j^*}{\partial p_k} = \frac{\partial x_j^*}{\partial p_k} + \frac{\partial x_j^*}{\partial w} \frac{\partial e}{\partial p_k} = \frac{\partial x_j^*}{\partial p_k} + \frac{\partial x_j^*}{\partial w} h_k^*$$

• Evaluate this for some p, w and u = v(p, w) so that  $h^*(\cdot) = x^*(\cdot)$ 


$$\frac{\partial h_j^*}{\partial p_k} = \frac{\partial x_j^*}{\partial p_k} + \frac{\partial x_j^*}{\partial w} x_k^*$$

# **Slutsky Equation**





### The own price Slutsky equation



- Since the Slutsky matrix is negative semidefinite,  $\partial h_k^* / \partial p_k \leq 0$ ;
  - the first term is always negative while the second can have either sign;
  - the substitution effect always pushes the consumer to purchase less of a commodity when its price increases.

### Normal, Inferior, and Giffen Goods

- A normal good has a positive income affect.
- An inferior good has a negative income effect.
- A Giffen good has a negative overall effect (i.e.  $\partial x_k^* / \partial p_k > 0$ );
  - this can happen only if the income effect is negative and overwhelms the substitution effect

$$\frac{\partial x_k^*}{\partial w}x_k^* < \frac{\partial h_k^*}{\partial p_k} \leq 0.$$

# **Slutsky Equation and Elasticity**

# **Definition** $\varepsilon_{y,q} = \frac{\partial y}{\partial q} \frac{q}{y}$ is called the elasticity of y with respect to q

• Elasticity is a unit free measure (percentage change in y for a given percentage change in q) that is often used to compare price effects across different goods.

### The own price Slutsky equation

$$\frac{\partial x_j^*(p,w)}{\partial p_j} = \frac{\partial h_j^*(p,v(p,w))}{\partial p_j} - \frac{\partial x_j^*(p,w)}{\partial w} x_j^*(p,w)$$

• Multiply both sides by  $p_j/x_j^*(\cdot)$  and rewrite as


$$\frac{\partial x_j^*(p,w)}{\partial p_j}\frac{p_j}{x_j^*(p,w)} = \frac{\partial h_j^*(p,v(p,w))}{\partial p_j}\frac{p_j}{x_j^*(p,w)} - \frac{\partial x_j^*(p,w)}{\partial w}p_j\frac{w}{x_j^*(p,w)}\frac{x_j^*(p,w)}{w}$$

or

$$\varepsilon_{x_j,p_j} = \varepsilon_{h_j,p_j} - \varepsilon_{x_j,w} \frac{p_j x_j^*(p,w)}{w}$$

• The elasticity of Walrasian (uncompensated) demand is equal to the elasticity of Hicksian (compensated) demand minus the income elasticity of demand multiplied by the share that good has in the budget.

# **Gross Substitutes**



Intuitively, we think of two goods as substitutes if the demand for one increases when the price of the other increases.

**Definition**  
We say good 
$$j$$
 is a gross substitute for  $k$  if  $\frac{\partial x_j^*(p,w)}{\partial p_k} \ge 0$ .

- Unfortunately the definition of substitutes based on Walrasian (uncompensated) demand is not very useful since it does not satisfy symmetry: we can have  $\frac{\partial x_j^*(p,w)}{\partial p_k} > 0$  and  $\frac{\partial x_k^*(p,w)}{\partial p_j} < 0$ .
- There is a better definition that is based on Hicksian (compensated) demand.

# **Net Substitutes**

### Definition

We say goods 
$$j$$
 and  $k$  are  
net substitutes if  $\frac{\partial h_j^*(p,w)}{\partial p_k} \ge 0$  and net complements if  $\frac{\partial h_j^*(p,w)}{\partial p_k} \le 0$ .

This definition is symmetric: 
$$\frac{\partial h_j^*(p,w)}{\partial p_k} \ge 0$$
 if and only if  $\frac{\partial h_k^*(p,w)}{\partial p_j} \ge 0$ 

## Proof.

$$\frac{\partial h_j^*(p,w)}{\partial p_k} = \frac{\partial \frac{\partial e(p,v)}{\partial p_j}}{\partial p_k}$$
$$= \frac{\partial^2 e(p,v)}{\partial p_k \partial p_j}$$
$$= \frac{\partial^2 e(p,v)}{\partial p_j \partial p_k}$$
$$= \frac{\partial h_k^*(p,w)}{\partial p_j}$$

by Shephard's Lemma

by Young's Theorem

by Shephard's Lemma again

# **Next Class**

- Comparative Statics Without Calculus
- Testable Implication of Consumer Theory